

PACCdigi Contest 2022

1. Contest sponsor

The "Vereniging voor Experimenteel Radio Onderzoek in Nederland", VERON is pleased to announce the PACCdigi contest 2022.

1.1 Contest Period

April 17th, 2022 07:00 UTC until 19:00 UTC.

2. Contest goals

Everybody works everybody. The allowed modes in this contest are RTTY and FTx (FT4 and FT8) FT4 and FT8 are treated as the same mode.

2.1 Classes

There are 3 classes of operation: FTx only, RTTY only and MIX for FTx and RTTY operation.

3. Categories:

• Non-Dutch stations (non-PA DXCC entity)

- | | |
|-----------------------------|---|
| • SINGLE-OP ALL HIGH | Single Op, All Bands |
| • SINGLE-OP ALL LOW | Single Op, All Bands |
| • QRP | Single Op, All Bands |
| • MULTI-OP ALL HIGH | Multi Op, All Bands, Single transmitter |
| • SWL ALL | Single Op, All bands |

• Dutch stations (PA DXCC entity)

- | | |
|---------------------------------------|---|
| • SINGLE-OP ALL HIGH | Single Op, All Bands |
| • SINGLE-OP ALL LOW | Single Op, All Bands |
| • QRP | Single Op, All Bands |
| • MULTI-OP ALL HIGH | Multi-Op, All Bands, Single transmitter |
| • SWL ALL | Single Op, All Bands |
| • SINGLE-OP LIMITED LOW NOVICE | Single Op, All Bands |
- Dutch novice licensees (7000-7200, 14000-14350, 28000-29700 kHz)

High Power: Total output power must not exceed the legal maximum power of your own country.

Low Power: Total output power must not exceed 100 W

QRP: Total output power must not exceed 5 W

3.1 Contest bands and segments

The following bands will be used for this contest: 160M, 80M, 40M, 20M, 15M, 10M. Avoid interference with other modes or contests running in the same weekend.

The contest frequencies for FTx modes will not be the usual for these protocols, but somewhat higher in frequency. The transceiver dial frequencies that will be used for FT8 are: 1,843 - 3,577 - 7,077 - 14,077 - 21,077 and 28,077 MHz. For FT4 the standard frequencies. For RTTY the following frequencies are recommended:

160 m	1,844 – 1,860 MHz
80 m	3,585 – 3,600 MHz
40 m	7,042 – 7,100 MHz
20 m	14,085 – 14,120 MHz
15 m	21,085 – 21,120 MHz
10 m	28,085 – 28,150 MHz

3.2 Entries are separated in "World" and "The Netherlands"

4. Division ranking

4.1 Dutch VERON members can put the number and optionally the name of their division (not the QSL region) in the Cabrillo log "Club tag" like: CLUB: 35 or CLUB: 01 Alkmaar

The sum of the single operator and SWL operator scores of a division will give the divisional score.





5. General Rules

5.1 The transmitter and receivers must be located within a 500-meter diameter circle. All antennas used by an entrant must be physically connected to the transmitter or receivers by wires (cables or feedlines).

5.1.1 All categories of entrants can use packet and WEB clusters.

5.1.2 Self-spotting is not allowed during the contest.

5.1.3 Using other stations callsigns to keep the working frequency free on the other bands, making schedules or DX-spotting is prohibited.

5.2 Single operator participants may change bands and modes without restrictions. Only one signal can be transmitted at any given time.

5.2.1 Single Operator: Those stations at which one (1) person performs all of operating, logging, and spotting functions.

5.3 MOST stations can transmit only one signal on any band at any given time. A "multiplier" station is allowed if there is an interlock ensuring only one signal at any given time.

5.3.1 In the MOST category, the RUN station is allowed to change bands only once every 10 minutes. Violating this rule will make that the qso's made in the non-regular time will be discarded.

5.3.2 The log must indicate which transmitter made each QSO (according to the CABRILLO standard).

5.4 Each station can be worked once in RTTY and once in FTx on each band.

5.4.1 The use of software functions that allow two or more QSOs on the same moment are forbidden (Multi Answer, FOX-Hound, etc.)

5.4.2 The use of a QSO robot is strictly prohibited. The operator must operate the equipment during the QSO.

6. Exchange:

6.1 Dutch stations: signal report + 2 letter Province abbreviation from the location of the transmitter site.

Non-PA stations: signal report + number starting with 1.

7. QSO Points.

7.1 Each valid contact with another participating contest station is worth one (1) point, a qso with a Dutch station 3 points.

7.2 For a SWL station counts each heard PACCdigi contest station (both Dutch (PA) and non-Dutch (Non-PA)) as 1 point. Every callsign counts once per band and per mode.

A contest station may not be logged more than 10 times per band.

7.2.1 All SWL QSO's must be logged during the contest.

8. Dupes

8.1 Dupes are contacts made with the same station on the same band. If the first contact between stations is valid, dupes have 0 points value. If the first contact is not valid, the second (dupe) contact is accepted.

8.2 Dupe contacts are not penalized; one does not have to mark them in the Cabrillo log submission.

Moreover, entrants are strictly recommended to leave DUPES in the log file. DO NOT DELETE DUPES!

9. Multipliers

9.1 All stations (incl. SWL's) obtain a multiplier of one (1) for each worked Dutch province.

The maximum number of province multipliers on each band is 24: 12 in the mode RTTY and 12 in mode FTx.

9.2 Contacts with Dutch maritime mobile (/MM) don't count as a multiplier.

10. Final Score

The final score is the sum of all qso points multiplied by the sum of all multipliers (band and mode)

11. General Log Submission Requirements

11.1 Submit your log in the CABRILLO format. All contest qso's must be uploaded in a single log. The Cabrillo format specifies strict chronological order for the full log; this includes Multi Op stations.

11.2 All times must be in UTC.

11.3 All sent and received exchanges are to be logged.

11.4 Filename for the log should be <yourcall.log> or <yourcall.cbr>

11.5 In the header part of the electronic log submission you MUST specify a calls and category of entrance and the full postal and e-mail address for mailing the PACCdigi results of the participant as well as the token of merit.

11.6 Submit your electronic log by uploading it on the PACCdigi web page, sending it by e-mail is acceptable.

11.7 Hand-written logs are not accepted.

11.8 Points and final score calculations are not necessary; calculations are done by our software.

11.9 Multi Operator stations: If more than one transmitter is used, the cabrillo log must indicate which transmitter has been used for each qso.





12. Log Submission Addresses and Terms

12.1 Logs must be submitted to the contest sponsors before April 23th, 2022, 23:59 UTC.

12.2 Electronic logs must be uploaded via <https://www.veron.nl/paccdigi-submitting-logs/> or submitted via E-mail to: paccdigi@veron.nl.

Be sure to put the station call sign and the class in the "Subject:" line. Example: "K3ZO FTx" or "K3ZO MIX"
You will get an acknowledgement via e-mail or a reason for rejection.

12.3 A participant in the contest herewith agrees with publication by VERON of the results, including pictures or film in the monthly VERON-magazine Electron, as well as on the VERON-website and in other by VERON used and/or chosen media.

13. Awards:

13.1 Dutch (PA) stations: The **VERON** donates prizes to the winners of each category in every class during the award ceremony at the HF-day.

All winners will be invited to obtain these prizes in an email addressed to the email address from which the log has been submitted. In case someone is not capable to (let someone) collect the prize, then please get in touch with the contest manager. All participants, including all operators of multi-op stations, who submit a valid log, will receive a token of merit.

13.2 Non-Dutch (Non-PA) stations: all participants who submit a valid log with a **correct (postal) address** will receive a token of merit. Electronic certificates will be made available for download for every one that submits an entry.

13.3 Club Rankings (PA only): Prizes donated by the **VERON** to the 1st, 2nd and 3rd place.

14. Contest-Related Information

14.1 All "Dutch PACCdigi Contest" and related information (Rules, claimed/confirmed scores, FAQ, additional information) is posted at the official contest website veron.nl/paccdigi.

14.2 Every participant, who sends his log will receive an overview with his claimed/confirmed results separately by bands/modes and QSO list, containing his errors and errors of worked stations. (UBN)

14.3 Any PACC related question should be sent via e-mail to paccdigi.manager@veron.nl

15. Analysis

All PACCdigi 2022 electronic logs are subject to computerized cross-check and analysis.

16. Penalties

One QSO is penalized with 1 QSO point for the following:

Incorrectly logged calls.

Not logging the exchange of the opposite QSO partner.

One QSO is not present in the other station's log. A close similar call sign, giving evidence of a miscopy by the other station, could not be found in the other station's log (NIL).

QSO neither counted nor penalized for the following:

QSO time in entrant's log and other station's log difference is more than 5 minutes (except systematic computer errors).

QSO band or mode in entrant's log and other station's log differ.

Dupe QSO which is not in the other station's log.

The other station is obviously not a contest participant ('001' exchange in multiple logs, other exchanges not found).

One QSO which is a UNIQUE (not in the database and cannot be related to a possible miscopy) will get normal credit.

The Contest Manager will further check logs of stations with a far above average percentage of UNIQUES.

16.1 PACCdigi Contest manager decisions are final. PACCdigi Contest manager invites all the radio amateurs from The Netherlands and foreign countries to take part in the 2022 PACCdigi Contest.

The PACCdigi 2022 contest team

Wil van der Laken PA0BWL

John Sins PA5JS

Rien de Louw PA7PYR

Tristan Jager PC8T

